


Introduction to Lasers (520.482)

Solutions: Homework 3

#1. (40)



The solution to this problem in the presence of absorption (α) or gain (γ) can be found out in a way similar to as derived in the Lecture 8 notes. The only difference would be that there would be an additional absorption/gain term given by:

$$\theta' = k'L = \left(k_0 + j\frac{\alpha}{2} \right) L$$

So if we make the above substitution and solve for it (for the case of absorption), we get:

$$E_R = \frac{r_1' + r_2 e^{j2\theta'}}{1 - r_1 r_2 e^{j2\theta'}} E_0 = \frac{r_1' + r_2 e^{j2\theta'} e^{-\alpha L}}{1 - r_1 r_2 e^{j2\theta'} e^{-\alpha L}} E_0$$

Now using $r_1' = -r_1$, $r_1'^2 + t_1'^2 = 1$, reflection coefficient of the Fabry Perot resonator can be found out by calculating the ratio of the reflected field intensity and incident field intensity.

$$R = \left| \frac{E_R}{E_0} \right|^2 = \left| \frac{r_1' + r_2 e^{j2\theta'} e^{-\alpha L}}{1 - r_1 r_2 e^{j2\theta'} e^{-\alpha L}} \right|^2 = \frac{R_1 + R_2 e^{-2\alpha L} - 2\sqrt{R_1 R_2} e^{-\alpha L} \cos(2\theta)}{1 + R_1 R_2 e^{-2\alpha L} - 2\sqrt{R_1 R_2} e^{-\alpha L} \cos(2\theta)}$$

Transmission can be found by simply using the fact that $R + T = 1$, and hence,

$$T = \frac{1 + R_1 R_2 e^{-2\alpha} - R_1 - R_2 e^{-2\alpha L}}{1 + R_1 R_2 e^{-2\alpha} - 2\sqrt{R_1 R_2} e^{-\alpha L} \cos(2\theta)} = \frac{(1 - R_1)(1 - R_2 e^{-2\alpha L})}{1 + R_1 R_2 e^{-2\alpha L} - 2\sqrt{R_1 R_2} e^{-\alpha L} \cos(2\theta)}$$

$$\text{or } I_T = \frac{(1-R_1)(1-R_2e^{-2\alpha L})}{(1-\sqrt{R_1R_2}e^{-\alpha L})^2 + 4\sqrt{R_1R_2}e^{-\alpha L}\sin^2\theta} I_0$$

Now to find the FWHM of the transmission curve, we need to find out the points where

$$(I_T) = \frac{(I_T)_{\max}}{2}$$

$$\sin\theta_{\pm} = \frac{1 - e^{-\alpha L} \sqrt{R_1 R_2}}{2e^{-\frac{\alpha L}{2}} \sqrt[4]{R_1 R_2}} = \pi \Delta \nu_{1/2} n L / c$$

$$\text{the FWHM of transmission curve is then given by: } \Delta \nu_{1/2} = \frac{c}{2\pi n L} \frac{1 - e^{-\alpha L} \sqrt{R_1 R_2}}{e^{-\frac{\alpha L}{2}} \sqrt[4]{R_1 R_2}}$$

$$\text{Finesse is defined by } F = \frac{FSR}{\Delta \nu_{1/2}} .$$

$$\text{Hence Finesse for a Fabry Perot etalon with absorption is given by: } F = \frac{\pi e^{-\frac{\alpha L}{2}} \sqrt[4]{R_1 R_2}}{1 - e^{-\alpha L} \sqrt{R_1 R_2}} .$$

To derive for Gain medium just substitute $\alpha = -\gamma$